Application No. 10/691,562 Docket No.: 0933-0216P

Amendment dated October 13, 2006 Reply to Office Action of June 15, 2006

AMENDMENTS TO THE CLAIMS

(Withdrawn) The DNA sequence 5'-CTCCTCCATGGTTATAAGGG-3' (SEQ ID NO: 9).

 (Withdrawn) The DNA sequence 5'-CCCAGAGTAAGAACATTATTC-3' (SEQ ID NO: 10).

3. - 4. (Canceled)

5. (Withdrawn) A capturing probe which comprises a single stranded polynucleotide comprising a nucleotide sequence encoding a variant human paraoxonase protein having a substitution of isoleucine by valine at the residue corresponding to position 102 of SEQ ID NO.
4.

 (Withdrawn) A capturing probe which comprises a single stranded polynucleotide comprising a nucleotide sequence encoding a human paraoxonase protein.

7. - 9. (Canceled)

10. (Currently amended) A method for determining the presence in a biological sample of a DNA sequence comprising a nucleotide sequence encoding a variant https://pubmed.numman.paraoxonase (PON1) encoding gene in the genomic DNA of the sample, identification of an Ile102Val mutation indicating the presence of said DNA sequence.

11. (Currently amended) A method for screening a subject to determine if said subject is a carrier of at least one Ile102Val mutant paraoxonase gene comprising

a) providing a biological sample of the subject to be screened,

Application No. 10/691,562 Amendment dated October 13, 2006 Reply to Office Action of June 15, 2006

- b) performing an assay for detecting in the biological sample the presence of the IIe102Val genetype-mutation of the human paraoxonase (PONI) gene,
- c) identifying as a carrier a subject providing a sample having at least one Ile102Val allele mutation of the human paraoxonase gene in the genotype.
- 12. (Currently amended) A method for assessing an individual's risk to develop cancer, coronary or cerebrovascular disease, hypertension, type 2 diabetes, dementia, arthrosis, cataract and sensitivity to organophosphorus compounds-and/or-altered effectiveness of a paraoxonase agonist or paraoxonase inducing or enhancing therapies in an individual, comprising
 - a) providing a biological sample of the subject to be screened,
- b) performing an assay for detecting in the biological sample the presence of the Ile102Val genotype-allele of the human paraoxonase (PONI) gene,
- c) identifying as an individual having increased risk of said disease, sensitivity to an organophosphorus compound or reduced effectiveness of a paraoxonase agonist or paraoxonase inducing or enhancing therapy, a subject providing a sample having at least one Ile102Val allele of the human paraoxonase gene in the genotype.

13. (Canceled)

- 14. (Currently amended) The method according to claim 12 wherein the a DNA in the biological sample is analyzed by hybridizing said DNA, or an amplification product thereof, to an immobilized nucleic acid in a multiplex format.
- 15. (Withdrawn, currently amended) A kit for performing the method according to claim 9-or-10, comprising means for determining the allelic pattern of codon 102 of a paraoxonase encoding (PON1) gene in a genomic DNA sample.
- 16. (New) A method for assessing effectiveness of a paraoxonase agonist therapy, or of a paraoxonase inducing or enhancing therapy, in an individual comprising

Docket No.: 0933-0216P Application No. 10/691,562

Amendment dated October 13, 2006 Reply to Office Action of June 15, 2006

a) providing a biological sample of the subject to be screened,

b) performing an assay for detecting in the biological sample the presence of the

Ile102Val allele of the human paraoxonase (PON1) gene,

c) identifying as an individual having increased risk of said disease, sensitivity to an

organophosphorus compound or reduced effectiveness of a paraoxonase agonist or paraoxonase inducing or enhancing therapy, a subject providing a sample having at least one Ile102Val allele

of the human paraoxonase gene in the genotype.

17. (new) The method according to claim 16 wherein a DNA in the biological sample is

analyzed by hybridizing said DNA, or an amplification product thereof, to an immobilized

nucleic acid in a multiplex format.

DRN/mua